

Ryan S. Charette MD Adam Q Ferguson DO Jon Dale PA-C Christa Beyer PA-C

Melinda Amato OTR/L CHT Brandon Heyda OTR/CHT

Edward S. Gensicki DPM Megan R. Wolf MD COMPREHENSIVE PHYSICAL THERAPY Raymond Ryan PT/Director Valerie Peckingham PT Isabella Mesturini PT,DPT

Aaron S Covey MD MBA

Rania R. Rifaey MD

Jon C Driscoll MD Hudson H. Seidel MD Robert C. Stockton DO

Peter Ives PTA

Kirsten Perillo PTA



Megan R. Wolf, MD Sports Medicine/Foot & Ankle

TYPE 3 TIMELINE

Post-Operative Protocol

Day of Surgery

- You will be in a splint, non-weight bearing
- You will need crutches, knee scooter, or walker
- No driving
- Cover the foot for showering

Week 1

- Office visit with the cast team for application of a cast
- Non weight bearing in a splint or cast
- Elevate for swelling
- Use crutches, knee scooter, or walker

Week 3

- Dr. Wolf visit for x-ray and assessment of early healing
- Likely transition into a removable boot
- Continue non-weight bearing
- Showering OK

Weeks 6-8

- You may begin weight bearing
- May not be comfortable full weight bearing right away
- May return to driving
- May begin physical therapy

Week 12

- Bony work should be healed
- Swelling continues to slowly diminish
- Recreational walking begins
- Patients first begin to believe this may actually work...

Months 3-6

- Gradual return to normal activities
- Return to normal shoe wear from 3-6 months
- people feel pretty well about 3-4 months after
- Improvements will continue for up to a year

PH: 203.265.3280



Ryan S. Charette MD Adam Q Ferguson DO Jon Dale PA-C Christa Beyer PA-C Aaron S Covey MD MBA Rania R. Rifaey MD Edward S. Gensicki DPM Megan R. Wolf MD COMPREHENSIVE PHYSICAL THERAPY

Raymond Ryan PT/Director

Valerie Peckingham PT

Isabella Mesturini PT,DPT

Jon C Driscoll MD Hudson H. Seidel MD Robert C. Stockton DO

Peter Ives PTA

Kirsten Perillo PTA

A Member Of EXECUTE Orthopsedic Services Www.comclic.com PH:203.265.3280 FX:203.741.6569

Megan R. Wolf, MD Sports Medicine/Foot & Ankle

TYPE 3 TIMELINE

Post-Operative Protocol

THINGS TO KNOW

1. You must be a fanatic about non-weight bearing for 6-8 weeks

Melinda Amato OTR/L CHT

Brandon Heyda OTR/CHT

- 2. The transition to weight bearing takes 6-12 weeks
- 3. You will remain swollen for a long time
- 4. OAH will be happy to provide out of work documentation for your employer
- 5. Most patients take a year to fully recover
- 6. Return to driving after right side surgery can take 6 weeks!
- 7. A preoperative mobility assessment with physical therapy is very helpful.

PH: 203.265.3280

714 South Main Street Cheshire, CT 06410

FX: 203.741.6569