

Ryan S. Charette MD Adam Q Ferguson DO Jon Dale PA-C Christa Beyer PA-C

Aaron S Covey MD MBA Rania R. Rifaey MD Edward S. Gensicki DPM Megan R. Wolf MD

Jon C Driscoll MD Hudson H. Seidel MD Robert C. Stockton DO



Basic Ankle Exercises

Home Exercise Program

www.comcllc.com PH:203.265.3280 FX:203.741.6569

COMPREHENSIVE PHYSICAL THERAPY

Melinda Amato OTR/L CHT Brandon Heyda OTR/CHT

Raymond Ryan PT/Director Valerie Peckingham PT Isabella Mesturini PT,DPT

Peter Ives PTA Kirsten Perillo PTA

Megan R. Wolf, MD **Sports Medicine/Foot & Ankle**

Seated Ankle Pumps




Sets: 2 Reps: 25-30 Resistance: -- Hold: -- Rest: -- Times Per Day: 2-3 Times Per Week: 7

Description: Begin sitting with both of your feet flat on the ground. Slowly bend your ankles up and down. Repeat as directed.

Comments: USE FOAM ROLLER

Ankle Alphabet Elevated



Sets: 2 Reps: A-Z Resistance: -- Hold: -- Rest: -- Times Per Day: 2-3 Times Per Week: 7

Description: Starting Position:

Lie on your back with your affected leg(s) elevated above your heart.

Movement:

With the toes of your affected leg(s), begin tracing the alphabet in all upper case letters with your foot making sure to keep your leg still. Repeat as prescribed.

Be sure to stay in a pain-free range of motion.

Doming



Sets: 2 Reps: 20 Resistance: -- Hold: -- Rest: -- Times Per Day: 2-3 Times Per Week: 7

Description: Starting Position: Standing barefoot flat on the floor. Movement: Curl your toes downward. Keep ball of foot on the ground with your toes curled and actively try to increase the height of your arch. Return to the starting position. Repeat as prescribed. Tip: Do not lift any part of your foot off the ground.

Long Sitting Calf Stretch with Strap



Sets: 1 Reps: 3 Resistance: -- Hold: 30 seconds Rest: -- Times Per Day: 2-3 Times Per Week: 7

Description: Begin seated on the ground with both feet straight out in front of you with your toes pointed toward the ceiling. Place a towel around the sole of your foot. Grasp the towel at both ends and pull toward you. You should feel a stretch in your calf. Hold as directed. Repeat as directed.

PH: 203.265.3280



Ryan S. Charette MD Adam Q Ferguson DO Jon Dale PA-C Christa Beyer PA-C

Aaron S Covey MD MBA Rania R. Rifaey MD Edward S. Gensicki DPM Megan R. Wolf MD Jon C Driscoll MD Hudson H. Seidel MD Robert C. Stockton DO



www.comcllc.com PH:203.265.3280 FX:203.741.6569

COMPREHENSIVE PHYSICAL THERAPY

Melinda Amato OTR/L CHT Brandon Heyda OTR/CHT Raymond Ryan PT/Director Valerie Peckingham PT Isabella Mesturini PT,DPT Peter Ives PTA Kirsten Perillo PTA

Megan R. Wolf, MD Sports Medicine/Foot & Ankle

Basic Ankle Exercises Home Exercise Program

Straight Leg Raise (SLR)



Sets: 2 Reps: 10-12 Resistance: -- Hold: -- Rest: -- Times Per Day: 1-2 Times Per Week: 7

Description: Lying on your back with knees bent and feet flat on the floor, straighten the leg you wish to exercise. Start by contracting the muscles on the front of your thigh. While keeping these muscles tight and knee straight, lift your leg off the ground until your knee is at the height of the other knee. Slowly lower it back to the floor. Repeat as directed.

Quadruped Hip Extension



Sets: 2 Reps: 10-12 Resistance: -- Hold: -- Rest: -- Times Per Day: 1-2 Times Per Weeks: 7

Description: Starting position: Begin in quadruped / 'all fours' position. Movement: Engage your core and lift one leg straight backwards until it is straight, in-line with your trunk. Focus on activating your glute muscle. Return to the starting position and alternate legs. Tip: DO NOT LET YOUR LOW BACK ARCH. Keep your neck in neutral with a light chin tuck.

Side Lying Hip Abduction



Sets: 2 Reps: 10-12 Resistance: -- Hold: -- Rest: -- Times Per Day: 1-2 Times Per Week: 7

Description: Lie on your side with the side you intend to exercise upwards. Keep your knee straight and lift your top leg up towards the ceiling. Avoid pointing your toes towards the ceiling by keeping the outside of your foot parallel with the floor, and make sure to stay lying directly on your side and avoid rolling backwards. Slowly lower your leg back to the starting position. Repeat as directed.