

Ryan S. Charette MD Adam Q Ferguson DO Jon Dale PA-C Christa Beyer PA-C Aaron S Covey MD MBA Rania R. Rifaey MD Edward S. Gensicki DPM Megan R. Wolf MD COMPREHENSIVE PHYSICAL THERAPY

Raymond Ryan PT/Director

Valerie Peckingham PT

Isabella Mesturini PT,DPT

Jon C Driscoll MD Hudson H. Seidel MD Robert C. Stockton DO

Peter Ives PTA

Kirsten Perillo PTA



# Megan R. Wolf, MD Sports Medicine/Foot & Ankle

Meniscus Transplant Post-Operative Protocol

#### Phase I – Maximum Protection Weeks 0 to 6:

## Brace

- Brace 0-90 degrees
  - o Recommend locking brace in extension for sleep

Melinda Amato OTR/L CHT

Brandon Heyda OTR/CHT

- Non-weight bearing with two crutches for 6 weeks
- Limit knee flexion to 90-degrees for 3 weeks; allow 90-120 degrees between 3 to 6 weeks Goals
  - o Reduce inflammation and pain
  - 0 degrees of knee extension

#### Exercise progression

- Emphasize patellofemoral mobilizations
- $\circ$  ~ Passive/active knee range of motion with 90° flexion limit
- o Quadriceps setting emphasize VMO function
- Multi-plane straight leg raising
- Open chain hip strengthening
- Gait training

#### Phase II – Progressive Stretching and Early Strengthening Weeks 6 to 8:

- Brace open to 0-90 degrees for ambulation
  - Continue using two crutches, with gradual progression of weight bearing
    - Increase WB to FWB over next 2 weeks
    - Exercise progression
      - Gradual progression to full knee flexion
      - Continue to emphasize patella mobility
      - o Begin bilateral closed kinetic chain strengthening limited range initially
      - Step-up progression
      - o Begin stationary bike with light resistance initially
      - o Gait training normalize gait pattern

#### Phase III – Advanced Strengthening and Proprioception

#### Weeks 8 to 12:

Goals

• Full knee range of motion

Exercise progression

- Avoid rotational movements for 16 weeks
- Advance stationary biking program (increase intensity)
- Introduce treadmill walking and elliptical trainer
- o Begin unilateral closed kinetic chain program
- Gym strengthening progression (leg press above 90-degrees, hamstrings curls etc.)

PH: 203.265.3280



Ryan S. Charette MD Adam Q Ferguson DO Jon Dale PA-C Christa Beyer PA-C

Melinda Amato OTR/L CHT

Brandon Heyda OTR/CHT

Aaron S Covey MD MBA Rania R. Rifaey MD Edward S. Gensicki DPM Megan R. Wolf MD COMPREHENSIVE PHYSICAL THERAPY

Raymond Ryan PT/Director

Valerie Peckingham PT

Isabella Mesturini PT,DPT

Jon C Driscoll MD Hudson H. Seidel MD Robert C. Stockton DO

Peter Ives PTA

Kirsten Perillo PTA

A Member Of EXECUTE Orthopaedic Services Www.comclk.com PH:203.265.3280 FX:203.741.6569

# Megan R. Wolf, MD Sports Medicine/Foot & Ankle

Meniscus Transplant Post-Operative Protocol

### Phase IV – Advanced Strengthening and Plyometric Drills

### Weeks 12 to 26:

Follow-up examination with the physician

## Goals

• Pass return-to-sport functional test at > 90% (involved vs uninvolved limb) by 26 weeks

#### Exercise progression

- Plyometric drills from bilateral to unilateral at 16 weeks
- Linear running progression at 16 weeks
- Progress to lateral and rotational stresses at 18 weeks
- Multi-directional drills at 18-20 weeks

Revised 8/2019

863 N. Main St. Ext., Suite 200 Wallingford, CT 06492 714 South Main Street Cheshire, CT 06410