## Megan R. Wolf, MD Sports Medicine/Foot & Ankle

Adapted from: Kathy Coyner, MD www.DrCoyner.com



863 N. Main St. Ext. Suite 200 Wallingford, CT 06492 Office: (203) 265-3280 Fax: (203) 741-6569 www.meganwolfmd.com

# **ROTATOR CUFF Strengthening**

#### 101. DIAGONAL LIFTS - D2:

Standing on one end of the elastic tubing, grasp the other end with the hand at the opposite hip pocket. The palm should be facing the body. Lift the arm in a diagonal pattern up and away from the starting point. The elbow should be kept at a right angle during the lift. Do not arch the back as you lift. Return to the starting position slowly - rapidly.

\_\_\_\_ sets of \_\_\_\_ reps; \_\_\_ times/day. Progress to \_\_\_\_ sets of \_\_\_\_ reps

### 102. INTERNAL ROTATION: with the arm at the side

Tubing tied securely in closed door. Elbow locked at side. Palm in. Rotate forearm in towards the body. Return to the starting position slowly - rapidly

\_\_\_\_ sets of \_\_\_\_ reps; \_\_\_ times/day. Progress to \_\_\_\_ sets of \_\_\_\_ reps

#### **103. EXTERNAL ROTATION:** with the arm at the side

Tubing tied securely in closed door. Elbow locked at side. Palm in. Rotate

forearm away from body. Keep elbow at right angle at all times. Return to the starting position slowly -rapidly

\_\_\_ sets of \_\_\_\_ reps; \_\_\_ times/day. Progress to \_\_\_\_ sets of \_\_\_\_ reps

#### **104. SHOULDER SCAPTION:**

Standing on one end of the tubing , grasp the other end with the thumb pointing up. Lift the arm up in the 2:00 plane (R) and 10:00 plane (L) with the elbow straight. The arc of motion should be \_\_\_\_\_\_. Return to the starting position slowly -rapidly.

\_\_\_\_ sets of \_\_\_\_\_ reps; \_\_\_\_ times/day. Progress to \_\_\_\_\_ sets of \_\_\_\_\_ reps

#### 105. SHOULDER PULL APARTS:

Grasp both ends of the tubing with the arms elevated to shoulder level. Pull the tubing apart as far as possible. The elbows should remain straight or slightly bent. Return to the starting position slowly -rapidly.


\_\_\_\_ sets of \_\_\_\_\_ reps; \_\_\_ times/day. Progress to \_\_\_\_\_ sets of \_\_\_\_\_ reps

## GENERAL INSTRUCTIONS

☑ Slow, controlled motion unless otherwise instructed.

Adjust the tension in the tubing to complete the required number of repetitions without substitution.

☑ Perform the indicated exercises \_\_\_\_\_ days/week



## Megan R. Wolf, MD Sports Medicine/Foot & Ankle

- 1. External Rotation
- Secure one end of band to a door or post.
- Place a small towel roll under your arm close to your elbow.
- Grasp the other end of the band with the palm facing in.
- Rotate the forearm away from the body while keeping your trunk still. Keep your upper arm still and the elbow at a right angle.

2. Short Arc Military Press

- Stand on one end of the band.
- Hold onto the other end of band with elbow bent and by your side.
- Push upwards a short amount until the hands are at the height of your ears.
- DO NOT raise your hand above this landmark.
  - 3. Internal Rotation Isolation
    Attach the band at a point in front of you.
  - Grab one end of the band and pull the arms in towards the chest.
  - The upper arm remains still while the forearm rotates in towards the body.

# IMPINGEMENT SYNDROME Rotator Cuff Strengthening












- 4. Shoulder Pull Apart
- Grasp both ends of the band with arms elevated to shoulder level.
- Pull tubing apart as far as possible.
- Return to the starting position slowly



# GENERAL INSTRUCTIONS

- ☑ Perform each exercise slowly and carefully. Stop if the exercise increases your symptoms.
- ☑ Perform the above indicated exercises 3 times a day, 20 repetitions each time, 7 days/week.
- Do not increase the resistance unless you can correctly and easily complete the maximum number of repetitions prescribed.

## Megan R. Wolf, MD Sports Medicine/Foot & Ankle

- 1. External Rotation
- Secure one end of band to a door or post.
- Place a small towel roll under your arm close to your elbow.
- Grasp the other end of the band with the palm facing in.
- Rotate the forearm away from the body while keeping your trunk still. Keep your upper arm still and the elbow at a right angle.
  - 2. Short Arc Military Press
  - Stand on one end of the band.
  - Hold onto the other end of band with elbow bent and by your side.
  - Push upwards a short amount until the hands are at the height of your ears.
  - DO NOT raise your hand above this landmark.
    - 3. Internal Rotation Isolation
      Attach the band at a point in front of you.
    - Grab one end of the band and pull the arms in towards the chest.
    - The upper arm remains still while the forearm rotates in towards the body.

# Rotator Cuff Strengthening

IMPINGEMENT SYNDROME










- 4. Shoulder Pull Apart
- Grasp both ends of the band with
   arms elevated to shoulder level.
- Pull tubing apart as far as possible.
- Return to the starting position slowly



# GENERAL INSTRUCTIONS

- ☑ Perform each exercise slowly and carefully. Stop if the exercise increases your symptoms.
- Derform the above indicated exercises 3 times a day, 20 repetitions each time, 7 days/week.
- Do not increase the resistance unless you can correctly and easily complete the maximum number of repetitions prescribed.